

Claims

- 1) A cellulosic fibre of the Lyocell type, characterized in that the ratio V of the strength of the fibre in the conditioned state FFK to the fibre elongation in the conditioned state Fdk amounts to 2.2 or less.
- 2) A fibre according to claim 1, characterized in that the ratio V amounts to 2.0 or less.
- 3) A fibre according to claim 1, characterized in that the ratio V amounts to 1.8 or less.
- 4) A fibre according to any of the preceding claims, characterized in that the ratio V amounts to at least 1.
- 5) A fibre according to any of the preceding claims, characterized in that the titre of the fibre amounts to 6 to 25 dtex.
- 6) A fibre according to claim 5, characterized in that the titre of the fibre amounts to 6.5 dtex or more.
- 7) A fibre according to claim 5, characterized in that the titre of the fibre amounts to 12 dtex or more, preferably to 15 dtex or more.
- 8) A fibre according to any of the preceding claims in the form of a staple fibre.
- 9) The use of a fibre according to any of the preceding claims in carpets, textile flooring materials, wall linings and/or decoration materials.